



DeLuxe

KITCHEN UNITS

Recipe FOR MODERN LIVING

Huttig SASH & DOOR CO.
SAINT LOUIS

A NEW ERA IN KITCHEN

"De Luxe" STANDARDIZED

LIKE SO MANY OTHER THINGS in this restless changing world of ours, the old fashioned kitchen of the past two decades is vanishing. Gone is the hospital and laboratory 'look' of yesterday's all white kitchen. In its place has blossomed the gay, livable kitchen of today — MODERN in design, COLORFUL in appearance and EFFICIENT in plan and operation.

The "De Luxe" line of Kitchen Cabinets is comprised of 33 basic units, each supplied in a variety of widths. The flexibility of these functional units, with their many built-in conveniences, permits a sound solution to any kitchen planning problem.

Study the photographic reproductions of actual "De Luxe" installations on the following pages. Note the abundance of usable cupboard space, the practical one-piece sink tops and the manner in which the modern styling of "De Luxe" Kitchen Units blends in perfect harmony with the ranges, refrigerators and other kitchen appliances. All of these efficient, worksaving kitchens were created by the skillful arrangement of Standard Stock "De Luxe" Units to meet today's demand for style and originality, color and good taste without sacrifice of space or structural design.

New manufacturing methods and equipment, standardization of design and a volume created by demand, make it possible for the manufacturers of "De Luxe" Kitchen Units to bring to the American public an entirely new conception of economy — really custombuilt kitchens at quantity production prices.

Before building or modernizing, consider the increased value and livability a complete "De Luxe" Kitchen will bring to your home.

Don't wait! Plan Your Kitchen of Tomorrow — Today!

Huttig SASH & DOOR CO.
SAINT LOUIS



BEAUTY *and* EFFICIENCY

Stock Kitchen Units

To meet the present day demand for **GREATER KITCHEN CONVENIENCE** and **NEW INSTALLATION FLEXIBILITY**
"De Luxe" KITCHEN UNITS are supplied in three distinct forms

- 1** SEMI-KD . . . Wood parts of these "De Luxe" Units, including the drawers, are completely machined, ready for assembly; reversible front frame is factory fabricated. Doors are completely machined, fitted and mortised for hinges; all hardware is included but not attached; no backs included unless ordered extra; each unit individually carton packed. Printed instructions for the assembly of SEMI-KD "De Luxe" Units are included in each carton.
- 2** SET-UP . . . Each "De Luxe" Unit is completely factory assembled, including three-ply laminated backs. Units are smoothly sanded, ready for painting and installing; all hardware is included but not attached; each unit is individually crated or carton packed; instructions for attaching hardware included with each unit.
- 3** SET-UP and FULLY ENAMELED . . . Each "De Luxe" Unit is completely factory assembled with all hardware attached. Units are spray-finished with beautiful semi-gloss clear-toned enamels. Each unit is individually crated or carton packed.

The "De Luxe" Kitchen Units shown in this catalog are supplied in accordance with the following general specifications. Specify whether units are to be furnished SEMI-KD, SET-UP (Not Painted) or SET-UP and FULLY ENAMELED.

GENERAL SPECIFICATIONS

FRONT FRAMES . . . $\frac{3}{4}$ " thick, made from Ponderosa Pine, factory fabricated with mortise and tenon construction; reversible.

DOORS . . . $1\frac{1}{16}$ " thick, lipped, five-ply, flush type, full length Ponderosa Pine core, cross banded and face veneered with close grained hardwood veneers, smoothly sanded. Doors are machine mortised for hinges. Sash doors are furnished in place of flush doors only when specially ordered. Unless otherwise specified, doors open as shown in illustrations.

ENDS . . . $\frac{3}{4}$ " Ponderosa Pine, glued up of narrow pieces to resist warping, fully machined, bored for adjustable shelves, and rabbeted for three-ply laminated backs.

SHELVES . . . $\frac{3}{4}$ " Ponderosa Pine, glued up of narrow pieces to resist warping. Adjustable shelves furnished as indicated for each design.

DRAWERS . . . Dove tail construction. Fronts are lipped. Fronts, sides and backs are Ponderosa Pine grooved to receive three-ply bottoms. Two-piece hardwood center guide is furnished to insure easy operation. Guides are supplied to keep top drawers from tilting.

ANCHOR STRIPS . . . $\frac{3}{4}$ " thick, of correct width, are furnished with wall, ceiling, sink front and side sections.

DRAWER SUPPORT FRAMES . . . Consisting of $\frac{3}{4}$ " material, framed up to fit accurately in dadoed solid ends.

MOULDINGS . . . No mouldings are included unless ordered extra, and are cut to length but not mitred.

BACKS . . . Three-ply laminated backs are furnished only on set-up units. Must be ordered separately if units are furnished semi-KD.

COUNTER TOPS . . . Standard tops are made 24" deep. No counter tops are included unless ordered extra. See Page 23.

ACCESSORIES . . . The high grade metal food containers and accessories shown on page 19 may be included in any "De Luxe" Unit at very little extra cost. Materials used in their construction will not contaminate food, crack, flake or peel.

HARDWARE . . . Specially designed, chromium plated hardware is included with all "De Luxe" Units. (See page 19)

FINISH . . . The sprayed-on finish, applied to all SET-UP Fully Enameled "De Luxe" Units, consists of a coat of shellac, a heavy durable primer and two finish coats of semi-gloss, clear-tone enamel. All surfaces are smoothly sanded between coats. The undercoating and surface enamels are synthetic and have strong moisture and alkali resisting qualities. A brushing undercoat and enamel can be furnished in any standard "De Luxe" color for application on other woodwork.

COLOR . . . "De Luxe" Units can be factory finished in any one, or combination of, 18 standard colors. Two-color combinations of "De Luxe" standard colors are available on cabinet exterior at no extra charge. As an example, the front frames and interiors may be finished in one color, while the doors and drawers are finished in another color; or, backs and shelves may be finished in a different color than the balance of the unit. This is considered a standard color combination. A small additional charge is made for special colors or combinations (samples required). Color Card, showing all the standard "De Luxe" colors, will be furnished upon request.

SPECIAL UNITS . . . Although the complete line of standard "De Luxe" Units will meet any kitchen requirement, our factory is fully equipped to produce cabinets of special size or design. "De Luxe" Units can also be furnished in woods other than Ponderosa Pine.

PACKING . . . "De Luxe" Units are crated or carton packed (depending upon size and weight) for shipment. Every precaution is taken to make certain that each unit will reach its destination in perfect condition. "FARLO-KING" counter and sink tops are specially crated for shipment.

METHOD OF SHIPMENT . . . Unless otherwise specified, "De Luxe" Kitchen Units will be furnished completely assembled, finished in specified colors with chromium plated hardware attached.

FLEXIBILITY


"De Luxe" Kitchen Units are made in widths starting with 15" and graduate in modules of 3" up to and including 48". This large range of intermediate sizes makes it possible to arrange a convenient plan, regardless of its size or shape, with standard "De Luxe" Units. "De Luxe" lower units can also be furnished 24 $\frac{3}{4}$ " deep when desired for electric dishwasher installations.

Beauty · Convenience · Quality



SELDOM are two kitchens identical. They will vary in size, shape and location of doors and windows. They can, however, be adapted to one of three basic kitchen plans — the straight wall, the "L" or the "U" shaped plan. Because of structural limitations, it is sometimes necessary to vary from these basic layouts, as illustrated on the following pages.

The straight or two wall plan shown above utilizes one wall for the main cabinet and sink installation. The opposite wall accommodates the range and refrigerator to form an efficient step-saving kitchen. If additional cabinet space should be necessary, ceiling sections can be substituted for the dropped ceiling and plastered arch.




INSTALLATION No. 4000

The Straight Wall Plan ..

A GREAT COMBINATION FOR KITCHEN EFFICIENCY

The L-Shaped Plan.....

INSTALLATION No. 4001



THE "DE LUXE" KITCHEN shown below is an example of a basic "L" shaped plan. With this arrangement it is often possible to incorporate a breakfast nook or snack bar. Note the abundant cupboard space and convenient work areas; the large drawer section for the storage of table linens; the accessible side section for brooms and vacuum cleaner and the corner shelves on each side of the window, which lend a decorative note to the general layout. The ceiling sections provide ample storage space for canned goods and seldom used kitchen utensils. The one-piece sink top, flanking both sides of the two-compartment sink, provides generous work areas.




PLAN YOUR KITCHEN SO IT WILL BE

The L-Shaped Plan.....


ANOTHER VARIATION of the popular "L" plan is demonstrated in the "De Luxe" Kitchen shown below. The efficiency of this kitchen requires no explanation. Because of its two wall installation, its cupboard space is sufficiently generous to incorporate the many "convenience" features found only in "De Luxe" units. Observe the attractive simplicity of this cabinet arrangement, the spaciousness of its efficient one-piece sink top, and the pleasing effect of balance and symmetry obtained with Standard "De Luxe" Units.

INSTALLATION No. 4002



EASY TO WORK IN • PLEASANT TO LOOK AT

The Three Wall Plan...



INSTALLATION No. 4003


A SUCCESSFUL SOLUTION to an awkward kitchen planning problem is clearly demonstrated in the "De Luxe" Kitchen illustrated above. The location of doors, windows, plumbing and heating outlets made it necessary to locate the sink on an inside wall, instead of underneath a window, as is the usual practice. The clever use of wall tile and decorative corner shelves add a note of originality to this kitchen. Another work center, arranged in an "L" shape, is built in the opposite corner. These two conveniently located areas, planned to use to the best advantage the space available, combine to make this an exceptionally attractive kitchen, and proves the flexibility of "De Luxe" Kitchen Units in modernizing and creating work-saving, efficient kitchens.

"De Luxe" STOCK UNITS ARE

The L-Shaped Plan



THE SIZE OF THE KITCHEN doesn't necessarily determine its efficiency. Here is a long and narrow "De Luxe" Kitchen installation which combines all the conveniences and cupboard space of its more elaborate counter-parts. For this particular kitchen there was little choice, other than that chosen, for its basic plan. A natural structural recess was provided for the refrigerator. The scalloped valance board lends a decorative, as well as practical, note to the installation by concealing the over-the-sink lighting fixture. The compactness of equipment and straight forward "L" arrangement of "De Luxe" Units provides a "maximum amount of kitchen," in a minimum amount of space.




INSTALLATION No. 4004

ADAPTABLE TO ANY TYPE KITCHEN

The Straight Wall Plan..

INSTALLATION No. 4005



THE STRAIGHT WALL KITCHEN assembly with its symmetrical cabinet arrangement is demonstrated in the "De Luxe" installation shown below. This layout is a popular choice in planning both new and remodelled kitchens. The treatment of the dropped ceiling over the wall sections is refreshingly different. A wood cornice, finished to match the "De Luxe" cabinets, is introduced in place of the customary plastered drop. This type of installation provides abundant storage space and generous work areas on each side of the sink. The refrigerator, flush with the base units and with its corresponding wall section above, gives a pleasing unified aspect to the whole kitchen.




FOR KITCHENS *Large or Small*

The Broken Wall Plan...



THE OUTSTANDING "DE LUXE" KITCHEN shown below was planned for all-around convenience, and gives recognition to the fact that the kitchen can be an important social center in the home. Adjoining this efficient kitchen is an informal breakfast room with its own cabinet and counter space — just the place to store dishes, linens, cutlery and other household necessities not directly used in food preparation.

This attractive kitchen is another demonstration of the charm and efficiency which can be achieved through the skillful arrangement of "De Luxe" Standardized Kitchen Units.

INSTALLATION No. 4006



FOR CEILINGS *High or Low.....*



INSTALLATION No. 4007

THE "U" SHAPED "DE LUXE" INSTALLATION shown above is considered by many planning experts to be the most ideal from the standpoint of compact kitchen-planned efficiency. The triangulation of the three working areas, (range, refrigerator and sink) and the arrangement of cabinets on three adjoining walls result in a truly step-saving plan. The one-piece custom built sink top, provides a continuous sanitary working area. The range and refrigerator are set flush with the cabinets and blend with their smooth simplicity and correct proportion. This kitchen, with its built-in conveniences, its many decorative and step-saving features is an excellent example of an outstanding "De Luxe" Kitchen planned for utility as well as beauty.

The U-Shaped Plan.....

A Smart Colorful Kitchen




The trend to color in modern kitchen planning is exemplified in the "De Luxe" installation shown above. This kitchen, planned for beauty and all-around convenience, clearly demonstrates the unlimited possibilities provided by "De Luxe" Standardized Units, in creating outstandingly colorful and efficient kitchens.

INSTALLATION No. 4008



Is YOUR KITCHEN DREARY, ine colorful, up-to-date and mode for most home activities and tive — a model of planned "De Luxe" colors provide housewife to create decorat individual tastes and plans.



is one of the predomina
ating scheme of every kiti
kitchens presented on these
show the definite trend tow
more sparkling and harmonio
or styling. Kitchens which are
entific, but clean and ex
delightful to look at —
sure to work in

Today, the growing trend to smartly styled kitchens has definitely placed utility and color in the formula for kitchen planning success. The "De Luxe" kitchen shown to the left is an outstanding example of planned efficiency and the tasteful application of color. The modern styling of "De Luxe" units blends in complete harmony with the prefinished wall paneling and other kitchen equipment.

INSTALLATION
No. 4009

Sparkles with Individuality

efficient and outdated? Or is it
modern? The kitchen is the workshop
and should be cheerful and attrac-
tive and efficiency. Eighteen standard
units unlimited possibilities for the
decorating schemes suited to her own
tastes.

Color

Decorating factors in the decor-
ation of the kitchen. The "De Luxe"

use pages

toward a

various col-

are not coldly sci-

entifically exhilarating —

— a plea-

sure in.

A kitchen of refreshing beauty and utmost efficiency is presented in the direct color photograph to the right. The excellent proportioning of the "De Luxe" units and the smooth expanse of the "L" shaped worktop combine to create an illusion of spaciousness. The color treatment of this kitchen is not only cheerful, but its modern, orderly appearance will remain undated.

INSTALLATION
No. 4011



Compactness is the keynote of this efficient and colorful "L" shaped "De Luxe" kitchen. The efficiency of this kitchen is a direct result of careful planning to obtain a maximum amount of usable storage and worktop area in a minimum amount of space. The easy-to-clean, satiny smooth finish of "De Luxe" kitchen units blends harmoniously with any individual color scheme.

INSTALLATION No. 4010



THE COMPLETENESS OF "DeLuxe" UNITS

STANDARD LOWER SECTIONS

34 3/4" High

22" Deep


One Shelf Included



6015 6021
6018 6024



6027 6033 6039
6030 6036 6042



6045 6048




6121 6124



6127 6133 6139
6130 6136 6142



6145 6148



4442

Requires 42" space along each wall.

Small illustration shows unit closed, shelves concealed in cabinet.

Revolving Shelf Base Unit

The cleverly designed Revolving Storage Unit, shown to the left, provides an abundance of usable storage space in what is usually found to be an inaccessible corner. The two evenly separated three-quarter circle shelves have vertical braces which prevent the shelves from sagging, even though heavily loaded. These shelves are attached to an "L" shaped pair of doors which swing underneath the counter. The doors are constructed to match other doors and drawers in appearance. The "De Luxe" hardware is the same as used on other doors, and unit may be operated in both directions by releasing either catch. A safety rim prevents utensils stored in this unit from sliding off shelves. The entire revolving part of this unit is easily removed. Furnished only SET-UP. Requires 42" space along each wall.

SEE PAGE 19 FOR
ACCESSORIES

COMBINE TO CREATE WORKSAVING KITCHENS

STANDARD LOWER SECTIONS

34 3/4" High

22" Deep

Shelves as Indicated




6215 6218



6221 6227 6233
6224 6230 6236



6342 6345 6348
One adjustable shelf included.



4318
Three equal drawers.



6330 6333 6336 6339
One adjustable shelf included



4218
Includes three equal galvanized metal sliding bins.

Sliding Table Unit

The "De Luxe" Sliding Table Unit is a welcome addition to any kitchen where limited space prohibits the use of a separate kitchen table. This ingeniously designed unit, which requires no more space than any other standard base section, blends in a custom-built manner with any kitchen plan. The drop front, which conceals the table when it is not in use, matches the other "De Luxe" drawers or doors in appearance and construction. Directly above the retractable table top is a shallow napkin drawer, cutlery tray and a generous sized slicing board. These built-in features are instantly accessible whether table is in use or in a closed position. The hardwood table operates effortlessly on metal tracks.

SEE PAGE 23 FOR
COUNTER AND SINK TOPS



Small illustration shows table closed and concealed in cabinet.

5930—Sliding Table Size 25 1/2 x 28
5933—Sliding Table Size 28 1/2 x 28
5936—Sliding Table Size 31 1/2 x 28
5942—Sliding Table Size 37 1/2 x 28

LAST TWO FIGURES OF ALL ABOVE DESIGN NUMBERS INDICATE WIDTHS OF CABINETS

EVERY "DeLuxe" UNIT IS DESIGNED


STANDARD CEILING SECTIONS

18" High


13" Deep

No Shelves Included


Made 24" high when specified.



5315 5318
5321



5324 5330 5336
5327 5333 5339 5342



5345 5348


STANDARD WALL SECTIONS

35" High


13" Deep

Two Shelves Included


Wall Sections also made 30" or 42" high when specified.



5515 5518
5521



5524 5530 5536
5527 5533 5539 5542




5545 5548

OVER-THE-REFRIGERATOR AND RANGE SECTIONS


18" or 24" High

13" Deep



Units 24" High Include Shelf



4536 4539



4542



"De Luxe" Over-the-Range and Refrigerator sections are used in conjunction with other units in planning kitchens which use to advantage every inch of usable wall space. These units, proportioned to match other wall sections, give an installation that custom-built appearance and provide additional utility and convenient storage space.

SEE PAGE 19 FOR
ACCESSORIES

TO Serve a Definite Need

STANDARD SIDE SECTIONS

84 $\frac{3}{4}$ " High

22" Deep





Shelves As Indicated

Broom and Dish

Utility

Desk and Dish

Broom and Ironing Board



Broom 6315 6318 6321
Dish 6815 6818 6821

6715 6718 6721
Three shelves included.

4121
Three shelves included.


6521
Ironing Board in Door,
Two shelves included.

STANDARD SINK FRONTS

34 $\frac{3}{4}$ " High

Fronts Only


"De Luxe" Sink Fronts, furnished in a variety of sizes and designs, are so constructed as to permit reducing their overall width at least 2". This feature provides additional flexibility in fitting stock cabinets in a prescribed space. All sink fronts are louvered for ventilation. Doors with metal grill panels are optional.



6621 6624 6627




6630 6636 6642
6633 6639 6648



6724 6727



6439 6442 6448



6730 6736 6742
6733 6739 6748


SEE PAGE 23 FOR
COUNTER AND SINK TOPS

6400 and 6700 series include tilting utility bin.
Sliding towel racks, tray compartments and other "De Luxe" accessories must be ordered extra.

LAST TWO FIGURES OF ALL ABOVE DESIGN NUMBERS INDICATE WIDTHS OF CABINETS

"De Luxe" UTILITY UNITS

Over-Sink Section




5624 5630

5627 5633

30" High, 9" Deep
Two shelves included.

The Over-Sink Unit may be used to good advantage when the sink is located on an inside wall. This shallow case creates a recess over the sink and provides a convenient and attractive storage space for china or glassware.

Corner Ceiling Section



5715

18" and 24" High, 13" Deep
Used with No. 5115

Revolving Bottle Rack


19" Diameter



6865

This sturdily constructed revolving rack unit will hold nine, quart size bottles in an orderly, upright fashion. Can be installed in any 24" or wider lower section.


Corner Wall Section



5115

35" High, 13" Deep
Two shelves included.


Corner Open Shelf Unit



6856

Corner Shelves fit end of Standard Wall units, on each side of window.


Alternate Door



6 Lt. Glass Door


Flush type doors are furnished for all units except "Over-Sink," unless otherwise ordered. Sash doors glazed 6-lts., with wood stops, supplied as an alternate only when specified.

"DELUXE" COMBINATION UNIT



5460 5472

Recess Ironing Board



6714

Wall Opening,
1'-2" Wide, 6'-10" High
Ironing Boards complete with hardware and casing.



5959 5971


Last two figures of design numbers indicates width of cabinets.

"DE LUXE" combination units are a compact, complete cabinet assembly, large enough to include all the necessary conveniences for an efficient work center, yet, small enough to fit in almost any kitchen.

Units may be used separately or installed in conjunction with other "DE LUXE" kitchen cabinets. A tilting utility bin is furnished in the sink front.

"DE LUXE" combination units can be furnished complete with "FARLO-KING" sink tops with 8" back splasher, black linoleum surface, 16" x 22" acid resisting porcelain enamel sink bowl, chrome plated dual strainer, and chrome plated two-way swing spout faucet. These extra features, of the finest quality, are designed to give a lifetime of satisfactory service.

Surface Ironing Board




6717

Size Over-All
1'-5½" Wide, 5'-10" High
Folding Table furnished for 6717 when desired.

"DeLuxe" ACCESSORIES

Door Catch



3660


The door catch mechanism, operated by a natural pulling movement on the trigger concealed in the exterior handle, requires no lubrication for smooth, positive action.

1 Elbow Catch (No. 3675) furnished for each pair of doors.

CHROMIUM PLATED HARDWARE

This exclusively designed, smartly styled and precision made cabinet hardware is furnished with all "De Luxe" Units. The Matched door catches, drawer pulls and semi-concealed hinges have a smooth satin-chrome finish and are highly rust resistant.


Hinge



2968

The semi-concealed hinges are specially designed for use with "De Luxe" lipped-type doors. Only the streamlined hinge barrel is visible on the exterior of the cabinets.

Drawer Pull



259

The drawer pull presents a smooth, gracefully attractive appearance and is designed to permit a firm positive grip. No protruding parts or sharp edges will catch clothing or harbor dirt.

4 Shelf Pins (No. 3501) are included with each adjustable shelf.

Flour Bin
Capacity 12 lbs.



6971


Flour Bin 6971 is used inside wall sections. Lowering arms, which provide for accessibility, are included. Built-in sifter is standard equipment.

Flour Bin 6975 (not shown) should be ordered if 25 lb. capacity is desired.

METAL FOOD CONTAINERS AND ACCESSORIES

BRIGHT FINISH, RUST-RESISTING METAL

Metal Tilting Flour Bin



6980

Capacity 60 lbs.
Attaches to lower doors

Sugar Bin 6973 is used under wall sections. Sliding track, which permits bin to be extended for filling, is included. Lever shut-off is standard equipment.

Sugar Bin 6977 (not shown) should be ordered if 25 lb. capacity is desired.

Sugar Bin
Capacity 15 lbs.



6973

Removable Wood Tray
Felt lining in bottom



6880

Metal Bread Drawer
Fits in high drawers




6986

Wood Cutting Board
with Slides



6875


Metal Soap Container



6999

Furnished in sink fronts

Wire Extract Rack



6994

Sliding Wire Shelf
Alternate for wood shelf




6997

Wire Lid Rack



6990

Attached to lower doors



6860


Condiment Shelf

Attaches to wall above stove. Front 2 1/2" high, back 5 1/4" high, shelf 3' long x 4 1/2" wide. Recess under shelf provides space for electric light. Set-up only.

METAL FOOD CONTAINERS AND ACCESSORIES INCLUDED AS EXTRAS WITH UNITS AS DESIRED. WILL NOT CONTAMINATE FOOD.

WOOD MOULDINGS

Ceiling



5907

3/4" x 2 3/4"

Top



5905

3/4" x 1 1/2"

Cove



5906

3/4" x 7/8"

Batten



5903

1/4" x 3/4"

Scribing



5904

1/4" x 1 1/4"


Top



5913

3/4" x 1 3/8"

Ceiling




5914

3/4" x 1 3/4"


All "De Luxe" Mouldings are carefully machined from Ponderosa Pine, cut to length but not mitered. Moulding is not furnished with "De Luxe" Units, but must be ordered extra.

"De Luxe" KITCHEN



Planning Desk No. 6870

Enjoy the convenience of a kitchen planning desk without sacrificing any valuable kitchen space. When closed, this unique desk matches other drawer fronts. Furnished to fit any drawer opening in standard lower sections.



Sink Enclosure No. 6400 Series


Above sink front incorporates two sliding towel racks, tilting utility bin and a large storage space behind pair of doors. Louvers provide undersink ventilation. Tray rack may be substituted for either towel rack, as illustrated on page 17.



Bulk Storage Bins No. 4318

Unit consists of three interchangeable drawers with metal inserts for the convenient storage of flour, sugar, etc. These bins, with sliding ventilated covers, are removable for cleaning. Metal inserts are extra.

A PLACE FOR *Every*



Flour Dispenser No. 6971

This metal dispenser can be used in any standard wall section. Swings out on sturdy metal arms. Instantly accessible, yet concealed behind door when not in use. Available in 15 and 25 lb. capacities.




Revolving Bottle Rack No. 6865

Here is a convenient storage place for all kinds of bottle goods. Can be installed in any 24" or wider lower section. Pivots easily on metal rollers. Capacity, 9 quart-size bottles.



Circle End Base Unit No. 6872

Here is a standard stock unit which is just the thing for dividing the kitchen from the dining or breakfast nook. Available only in combination with any standard lower section.




In-A-Door Ironing Board No. 6521

Ironing board folds into recess in door front. A large unobstructed area behind door is convenient for the storage of vacuum cleaner, broom or other bulky household equipment. Two shelves included.


CONVENIENCES

thing IN ITS PLACE



Bread Drawer No. 6986

Designed for the convenient storage of bread, cake or pastry. Metal insert with its sliding ventilated cover, is easily removed for cleaning. It is no longer necessary to take up valuable counter top space with the old-fashioned bread box.



Cutlery Tray No. 6880

Designed for the orderly storage of cutlery and tableware. Partitioned insert is easily removed for cleaning. Bottom of tray is felt covered to absorb noise and prevent scratching.



Recessed Toe Space

A built-in recessed toe space $2\frac{3}{4}$ " high and $2\frac{3}{4}$ " deep is provided for on all "De Luxe" lower sections. Allows plenty of toe room for comfortable working position, and prevents scuffing of cabinets.




Step Shelves No. 6850

A storage place for the convenient arrangement of small condiments. Its use promotes orderliness and facilitates identification. May be installed on one or more shelves in any wall cabinet. Specify width of cabinet.




Pull-Out Slicing Board No. 6875

Here is a convenience which should be incorporated in every kitchen. Instantly accessible. Concealed when not in use. The practical place to attach food grinder. Removable for use on counter top.



Side Section Desk Unit No. 4121

This convenient planning desk, built into a standard side section provides a handy place to file recipes or plan menus. Upper compartment contains two shelves — a place to store kitchen linen. Large opening below desk will accommodate stool or other kitchen necessities.




Vegetable Bins No. 4218


Three interchangeable galvanized metal drawers for the storage of potatoes, onions, apples and dry non-perishable fruits or vegetables. Easily removed for cleaning. Door is louvred to provide ventilation.

"DeLuxe" CONSTRUCTION FEATURES


Outward appearance or "skin deep" beauty often masks inferior construction and workmanship. "De Luxe" Kitchen Units are built to a uniform high standard of quality. Select materials, modern manufacturing methods and equipment, and the ability of skilled workmen combine to create a product which will contribute most in value and everlasting satisfaction.




As illustrated in the above phantom view, the front frames of all "De Luxe" Units are constructed with blind mortise and tenon joints — accurately fitted, securely pinned and glued to prevent unsightly cracks caused by opening joints.




Specially designed semi-concealed offset hinges are machine mortised in the lip of door. Construction of this hinge permits the door to fit snugly against the front frame, providing a positive dust stop.



"De Luxe" flush doors are of a solid built-up core construction, consisting of full length Ponderosa Pine cores glued together to prevent warping. The core is cross banded and face veneered on both sides with 1/16" thick close grained hardwood veneer and smoothly sanded. Doors are machine mortised for "De Luxe" offset hinges.




All "De Luxe" drawers are made with the superior dovetail construction. The fronts are lipped to match "De Luxe" flush doors. The fronts, sides and backs are made from Ponderosa Pine, grooved to receive three-ply bottoms. A two-piece hardwood center guide insures easy operation and prevents drawer from binding. All parts are accurately machined and securely glued.



Illustrated above is a skeleton section of a "De Luxe" lower unit. The solid 3/4" thick wood sides are dadoed to receive the bottoms, drawer supports or permanent partitions. Both sides are accurately drilled on 1 1/2" centers for shelf pins which hold adjustable shelves. Note the built-in recessed toe space which is a standard construction feature on all "De Luxe" lower units.

"Farlo-King" CUSTOM SINK TOPS

"FARLO-KING" Custom Built Sink Tops set a new standard in modern kitchen utility and beauty. These tops, custom built to fit your own individual kitchen requirements, provide a smooth easy-to-clean counter top which will not chip, crack or stain from vegetable or fruit acids. The permanent beauty of its quality linoleum surface will never need refinishing.




Style "A"

The "FARLO-KING" Top to the left is equipped with a single acid-resistant white enamel bowl with the swing type faucet installed in the 8" back splash.

The "FARLO-KING" custom top illustrated above is the type usually specified for small apartment size kitchens and the style most generally used in conjunction with "De Luxe" Combination Units (see page 18). "FARLO-KING" sink tops, with their smooth resilient linoleum surfaces, are easy to clean and are absolutely sanitary. "FARLO-KING" tops are available in a choice of four standard colors, and in a wide selection of sink bowl designs.

The "FARLO-KING" installation to the right incorporates a double acid-resistant white enamel bowl with the swing type mixing faucet and flexible hose spray installed in the deck portion of the sink.



Style "B"

The "FARLO-KING" top shown above is designed for a "U" shaped kitchen installation. No unsanitary joints mar the smooth surface of this custombuilt top with its 4" continuous back splash on three sides. The heavy linoleum is firmly cemented to a reinforced plywood core and all the edges are permanently sealed with stainless steel trim, set into the linoleum, eliminating any remote possibility of moisture penetration.



Style "C"

The "FARLO-KING" installation to the left has a one-piece double acid-resistant white enamel bowl with mixing faucets and hose spray installed in the flat deck of the sink.

A straight wall "FARLO-KING" top is illustrated above. This custombuilt top with its 4" high continuous back and end splashers provides an efficient unbroken work area on both sides of the sink. The sink bowl is fastened in place with a patented sealing ring and laminated lead gasket. Case hardened bolts apply a uniform pressure on the laminated lead foil sealing agent, creating a permanent, leakproof and sanitary seal between the linoleum and sink bowl.

Another "FARLO-KING" sink installation supplied with a one-piece double acid-resistant white enamel bowl is shown to the right. The mixing faucets and hose spray are mounted on the sink ledge.



Style "D"

The above "FARLO-KING" sink top is custombuilt for an "L" shaped kitchen plan. The counter or sink top plays an important role in any modern kitchen and of the installation, conforming to the plan of the base units regardless of their arrangement. This flexibility is only possible with custombuilt tops.

DUAL STRAINERS



No. 6402

The Crumb Cup Strainer with a Monel Basket, as illustrated, is standard equipment with all "FARLO-KING" Sinks. It catches and holds for easy removal the dirt and refuse from washed vegetables that otherwise might clog your drain.

should be planned as an integral part of the installation, conforming to the plan of the base units regardless of their arrangement.

SPECIFICATIONS

LINOLEUM . . . Battleship — First Quality U. S. Govt. Standard.

TRIM . . . Stainless Steel cold rolled moulding satin finish, all joints mitred, soldered and polished.

SEALING RING . . . Patented—One piece extruded aluminum.

WOOD CORE . . . Standard construction — 5 ply 3/4" first quality plywood core; 1" finished thickness.

SINK BASIN . . . First quality acid resisting. Standard makes or designs as selected and specified.

Special features, such as cut-outs for irregular walls, windows, electrical outlets, or dishwashing machines are subject to a small extra charge.

1/4

SATIN BRAND

REG. U. S. PAT. OFF.

THE BUILDER'S PERFECT WOODWORK

SMOOTH AS A SMILE

CATALOG NO. 242